

Page 1 of 1

All amounts are calculated in domestic currency.

[illegible]



PACKING SLIP

ORDER NO.: 60606243 FROM: CRAN PAGE 1

SHIP TO: 41.777 REQ. DATE: 06/10/16 CONFIRMED

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKSBURY ON
ONTARIO CANADA
CN K6A 1K7

SHIP BY: 06/07/16
COMMON CARRIER
VIA: PREPAID
FREIGHT: RELEASE NO.:
RECEIVING PHONE:

WIDTH
LENGTH
12 FT ML

CLIN# ORD QTY INVOICE QTY SHIPPED QTY WT PCS
120.000 FT 120.000 FT 120.000 FT 8.136

** 1 TEST REPORTS REQUIRED **

ECGN: BAR99 PO: 49342889 HT: 35420777 MFG: UNITED STATES
Export License: NLR PC: 10
Expiration Date: 0/00/00 CUSTOMER QTY: 120.000 UOM FT
SLB/CL: 326185

0002 36311 SMLS CD 304/L A269 3/8 OD X .065 WA

CLIN# ORD QTY INVOICE QTY SHIPPED QTY WT PCS
20.000 FT 20.000 FT 20.000 FT 4.303

** 1 TEST REPORTS REQUIRED **

ECGN: 2B99.g PO: 49327983 HT: YX1410664 MFG: CHINA
Export License: NLR PC: 1
Expiration Date: 0/00/00 CUSTOMER QTY: 20.000 UOM FT
SLB/CL: 5-59

0003 36860 SMLS CD 304/L A269 3/4 OD X .049 WA

CLIN# ORD QTY INVOICE QTY SHIPPED QTY WT PCS
80.000 FT 80.000 FT 80.000 FT 29.338

** 1 TEST REPORTS REQUIRED **

ECGN: 2B99.g PO: 49330967 HT: YX1503612 MFG: CHINA
Export License: NLR PC: 4
Expiration Date: 0/00/00 CUSTOMER QTY: 80.000 UOM FT
SLB/CL: 7-78

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



PACKING SLIP

ORDER NO.: 60606243 FROM: CRAN PAGE 2

41.777 REQ. DATE: 06/10/16 CONFIRMED

SHIP TO:

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKSBURY ON

ONTARIO CANADA

SHIP BY: 06/07/16

VIA: COMMON CARRIER

FREIGHT: PREPAID

RELEASE NO.:

RECEIVING PHONE:

WIDTH

LENGTH

CUST NUMBER: 1203820 NET WGT:

SOLD TO:

DART AEROSPACE LTD

1270 ABERDEEN ST

HAWKSBURY ON

CANADA

SALESPERSON: DONNA SMALLEY

TERMS: NET 30 DAYS

F.O.B.: SHIPPING POINT

CUST ORD NO.: PO32609 PART 1

LINE ITEM DESCRIPTION

BROKERS KUEHNE AND NAGEL LTD

AREA	TYPE OF PKG	PKGS	GRS WEIGHT	WIDTH	LENGTH	HGHT
B	DOUBLE CARTON	1.000	51.000			
		1.000	51.000			

BY: ED
RT 000-

UNLOAD TYPE: NONE SPECIFIED

06/16-610

DATE SHIPPED

DATE FILLED

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE
OF THESE PRODUCTS ARE SET FORTH ON THE
REVERSE SIDE FOR YOUR CAREFUL REVIEW.



PACKING SLIP



ORDER NO.: 60606243 FROM: CRAN PAGE 3

CUST NUMBER: 1203820 NET WGT: 41.777 REQ. DATE: 06/10/16 CONFIRMED

SOLD TO: SHIP TO:

DART AEROSPACE LTD

DART AEROSPACE LTD

1270 ABERDEEN ST

1270 ABERDEEN ST

HAWKESBURY ON

HAWKESBURY ON

CANADA

ONTARIO CANADA

CN K6A 1K7

SHIP BY: 06/07/16

27 ENGLEHARD DRIVE

NJ 08831

DONNA SMALLEY

NET 30 DAYS

SHIPPING POINT

PO32609 PART 1

COMMON CARRIER

PREPAID

SALESPERSON:

TERMS:

F.O.B.:

CUST ORD NO.:

VIA:

FREIGHT:

RELEASE NO.:

RECEIVING PHONE:

"TW Metals MSDS data is available on our web site at www.twmetals.com. MSDS data can be found under the Technical Resources Tab, Product Statistics & Data and the TW Metals MSDS's heading. If you do not have web site access you may telephone 610-458-1300 and we will mail or fax a copy of our current MSDS data to your location."

"CERTIFICATE OF CONFORMANCE"

"TW Metals certifies that the material supplied on this purchase order and contained in the heat/lot number referenced above has been manufactured, inspected, and tested in accordance with the material specification. These records are on file at TW Metals. Packaging material for shipments to Europe and China consists of manufactured wood products and complies with the European emergency measures for confiterous non-manufactured wood packing material"

Authorized Test Report Clerk *Cyn Hume* Date: 6/07/16

These commodities have been exported from the United States in accordance with the U.S. export control laws, export administrations regulations. Diversion contrary to U.S. law prohibited.

THANK YOU FOR THIS ORDER

TERMS AND CONDITIONS APPLICABLE TO THE SALE OF THESE PRODUCTS ARE SET FORTH ON THE REVERSE SIDE FOR YOUR CAREFUL REVIEW.



PRECISION TUBE CO.
287 WISSAHICKON AVE.
NORTH WALES PA 19454

A COMPANY OF MULLER INDUSTRIES

CERTIFIED TEST REPORT

CUSTOMER PURCHASE ORDER NO.	49342889 LINE 001
CUST. ORD. NO.	326185
PRECISION TUBE P/N	24A037500580006

SOLD TO: TW METALS 235 TUBEWAY CAROL STREAM, IL 60188 UNITED STATES	SHIP TO: TW METALS 235 TUBEWAY CAROL STREAM, IL 60188 UNITED STATES
---	---

QUANTITY ORD.	3000 FT
METAL	6061 ALUM
TEMPER	T6
SPEC	AMS 4082P AMS-WW-T-700/6B
ASTM-B-210-12	
LENGTH	12 FT
LGTH TOL	+ .1250 IN - .0000 IN
SHAPE	ROUND
FINISH	STRAIGHT EXACT LENGTHS
ID	.3750 + .0030 - .0030
WALL	.0580 + .0040 - .0040

SAMPLE #	1
TENSILE (P.S.I.)	44,954
YIELD (P.S.I.)	40,057
ELONGATION IN 2 INCHES (%)	14
ROCKWELL HARDNESS	
AVERAGE GRAIN SIZE (MM.)	

FLATTENING: PASS	Comments: FAR BAA COMPLIES, DPARS BAA COMPLIES, FAR TAA COMPLIES
NON-DESTRUCTIVE TESTS	ACCEPTED BY TUBES JAN 13 18
EDDY CURRENT: PASS	

ALLOY: 6061	HEAT: 36420777	RAW MATL VENDOR: PT55690 - Kaiser Aluminum
CHEMICAL COMPOSITION		
Max	Min	OTHER ELEMENTS: 0.05 MAX EACH / 0.15 MAX TOTAL
Si	0.40	0.15
Fe	0.70	0.40
Cu	0.15	0.15
Mn	0.15	0.15
Mg	0.80	1.20
Cr	0.04	0.35
Zn	0.25	0.25
Ti	0.15	0.15
Al	Rem.	

We hereby certify that the material has been manufactured and tested in accordance with the requirements of the applicable specifications and descriptions set forth on Precision Tube's sales acknowledgment. During the manufacturing, testing, and inspection, the product did not come into direct contact with mercury or any of its compounds, nor with any mercury containing device employing a single boundary containment. Test results indicate that the material is compliant with the current revision of the RoHS Directive (2011/65/EU).

Manufactured in the USA
QMS Registered to ISO 9001: 2008

By:
Art Onatis
QA Manager

CUSTOMER PO NUMBER:		CUSTOMER PART NUMBER:		PRODUCT DESCRIPTION:	
PT556890		SPIRIT-371850		5.400 LB/PC, 500 LB/-0 LB 1.312 OD X .085 WALL ESRT	
KAISER ORDER NUMBER: LINE ITEM:		SHIP DATE:		KAISER LOT NUMBER: ALLOY:	
319478		11/13/2015		50751-310 6061	
WEIGHT SHIPPED:		BL NUMBER:		DIAW/DIAF/THICKS:	
6395.000 LB		004887		WIDTH: LENGTH:	
SHIP TO:		SOLD TO:			
PRECISION TUBE CO 287 WISSAHICKON AVENUE N. WALES, PA 19454 USA					
MUELLER INDUSTRIES, INC PRECISION TUBE 8285 TOURNAMENT DRIVE STE. 150 MEMPHIS, TN 38125 USA					



Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	Elong In 2	HARDNESS	CONDUCT.	BEND
-----------	-------	---------	-----------	-----------	------------	----------	----------	------

Chemical Composition (wt%), Aluminum Remainder


LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Pb	Bi	Zr	Ca	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	0.05	.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	0.00	.0
F82353	.58	.32	.22	.05	1.02	.09	.05	.02	.00	.00	.01	.02

Applicable Requirements:

ASTM-B241-12 NON-STENCILED ASTM-B221-13 ASTM-B345-11 AMS-QQ-A-200/8 97(R07) TYPE I
UNS#A96061 Also conforms to EN 10204 3.1

Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA
MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.



KAISER ALUMINUM FABRICATED PRODUCTS


KAISER ALUMINUM
FABRICATED PRODUCTS, LLC
2425 STEVENS DRIVE
RICHLAND, WA 99362

Best in Class

CERTIFIED TEST REPORT
<http://Online.KaiserAluminum.com>

CERTIFICATION
Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.
JOSEPH AMES, QUALITY MANAGER

John



PURATM

Producer of Premium Stainless Steel Seamless Tubes

MILL TEST REPORT

Purchaser: TWM METALS-Cranbury	Certificate No.: 15-6-32
Contract No.: TWM P.O.No.: M49327983	Date of Issue: 2015.6.28
Commodity: Stainless Steel Seamless Tubes	Specifications: ASTM A213-14/ASME SA213-13/ASTM A269-14 EAW
Process: Cold Drawn	Delivery Condition: OD Polished to 240 Grit

Steel Grade	Heat Number	Lot Number	Dimensions	Quantity
TP304/TP304L	YX1410-664	5-59	3/8" x 0.065" x 20'	Pieces 250
				Feet 5,000

Element	C	Mn	P	S	Si	Cr	Ni	Mo	Co
Requirements	≤0.035	≤2.00	≤0.045	≤0.030	≤1.00	18.00-20.00	8.00-12.00	-	-
Ladle Analysis	0.010	0.63	0.028	0.001	0.46	18.33	8.05	-	-
Product Analysis	0.019	0.79	0.033	0.001	0.51	18.52	8.50	-	-

Mechanical Properties									
Test Item	Elongation (% in 2")	Tensile Strength (PSI)	Yield Strength (PSI)						
Requirements	≥35	≥75,000	≥30,000						
Test Results	63/64	95,000/96,000	35,000/36,000						

Test Item	Reduction of Area Z (%)	Hardness	Cold Bend	Flaring	Flattening	Flange	P.M.T. Test
Requirements	-	HRB≤80	-	30%	e=0.09	-	-
Test Results	-	77/79	-	Passed	Passed	-	OK
Test Item	Eddy Current Test	Air Underwater Pressure Test	Ultrasonic Test	Intergranular Corrosion Test	Macroscopic Inspection		
Requirements	ASTM E 426	-	-	ASTM A262 E	End Cut	Appearance	OK
Test Results	Passed	-	-	OK	OK	OK	OK

ISO 9001:2008 Certified by Intertek 110703068

PED Certified by SZUTEST 2195-PED-1221604

Additional Remarks:

(1) All tubes annealed to above 1900 Deg F and water quenched below 800 Deg F in 3 minutes

(2) All tubes tested per ASTM A1016-14

(3) Materials is NACE MR0103-2007 compliant (per Section 2.5)

(4) Materials is NACE MR0175/ISO 15156-2003 compliant (per Section 4.2.1)

CANNOT CERTIFY COMPLIANCE
FAR BAA / DFARS BAA / FAR TAA

DAS
14
9-09

16/06/13



By:


James Shi

James Shi / Manager

Quality Control Department

Shanghai Puta Stainless Steel Pipe Factory
No. 59, Shuangye Road, Wanggang, New Pudong District, Shanghai, China

We hereby certify that this report is true and correct.



MILL TEST REPORT

Purchaser: TW METALS-Cranbury	Certificate No.: 15-8-138	Date of Issue: 2015.8.31	Contract No.: TWM P.O.No.: M49330967
Specifications: ASTM A213-14/ASME SA213-13/ASTM A269-14 EAW		Commodity: Stainless Steel Seamless Tubes	
Process: Cold Drawn		Delivery Condition: OD Polished to 240 Grit	

Steel Grade	Heat Number	Lot Number	Dimensions	Quantity
TP304/TP304L	YX1503-612	7-78	3/4" x 0.049" x 20"	Pieces
				Feet
				7,000

Mechanical Properties									
Test Item	Elongation (% in 2")	Tensile Strength (PSI)		Yield Strength (PSI)					
Requirements	≥35	≥75,000		≥30,000					
Test Results	63/64	93,000/94,000		36,000/37,000					
Test Item	Reduction of Area Z (%)	Hardness	Cold Bend	Flaring	Flattening	Flange	P.M.I. Test		
Requirements	-	HRB≤80	-	22%	e=0.09	-	-		
Test Results	-	76/78	-	Passed	Passed	-	-		
Test Item	Eddy Current Test	Air Underwater Pressure Test	Ultrasonic	Intergranular Corrosion Test	Macroscopic Inspection				
Requirements	ASTM E 426	-	-	ASTM A262 E	End Cut	Appearance			
Test Results	Passed	-	-	-	OK	OK			

ISO 9001:2008 Certified by Intertek 110703068

PED Certified by SZUTEST 2195-PED-1221604

Additional Remarks:

- (1) All tubes annealed to above 1900 Deg F and water quenched below 800 Deg F in 3 minutes
(2) All tubes tested per ASTM A1016-14
(3) Materials is NACE MR0103-2007 compliant (per Section 2.5)
(4) Materials is NACE MR0175/ISO 15156-2003 compliant (per Section 4.2.1)
(5) In Compliance with EN 10204-3.1
(6) In Compliance with RoHS Stipulation
(7) No weld repair performed
(8) Free from mercury contamination
(9) Free from radioactive contamination
(10) Billets melt and pipes/tubes manufactured in China
(11) All tubes 100% PMI tested
(12) All tubes 100% Eddy Current tested

By:

James Shi / Manager

Quality Control Department

Shanghai Pufa Stainless Steel Pipe Factory

No. 59, Shuangye Road, Wanggang, New Pudong District, Shanghai, China



CANNOT CERTIFY COMPLIANCE
FAR BAA / DEARS BAA / FAR TAA

104-10000-1
 OCT 21 2015
 ACCEPTED BY
 6-130000-1
 TIV METALS

MATERIAL RECEIPT INSPECTION FORM

PO / BATCH NO 32609/134993
 THICKNESS ORDERED 75X.04910
 THICKNESS RECEIVED 75X.04510
 SHEET SIZE ORDERED
 SHEET SIZE RECEIVED

MATERIAL M304TR.75X.04910
 DATE 16/06/13
 MATERIAL CERT RECD
 QUANTITY RECEIVED
 QUANTITY INSPECTED
 QUANTITY REJECTED

DESCRIPTION	NCR (Check Y/N)	Y	N	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/>			
CORRECT FINISH	<input checked="" type="checkbox"/>			
CORROSION	<input checked="" type="checkbox"/>			
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/>			
CORRECT MATERIAL	<input checked="" type="checkbox"/>			
CORRECT THICKNESS	<input checked="" type="checkbox"/>			
PHOTO REQUIRED	<input checked="" type="checkbox"/>			
CORRECT MATERIAL	<input checked="" type="checkbox"/>			
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>			
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>			
CORRECT # ON THE MATERIAL	<input checked="" type="checkbox"/>			
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/>			
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/>			

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK			
RECORD RESULTS BELOW	HRC	HRB	DUR A
			DUR D
TYPE OF MATERIAL			
SIZE OF TEST SAMPLE			
HARDNESS / DUROMETER READING			

Testers located in the Quality Office

QC 18 INSPECTION

INSPECTED BY DAS 14 000

DATE 16/06/13

SIGNED OFF BY _____ DATE _____

ENGINEERING SIGNOFF (if required)

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL 16/06/13 325W.058
 DATE 16/06/13
 QUANTITY RECEIVED 1201
 QUANTITY INSPECTED 1201
 QUANTITY REJECTED
 MATERIAL CERT RECD
 THICKNESS ORDERED 3.25X.058W
 THICKNESS RECEIVED 3.25X.054W
 SHEET SIZE ORDERED
 SHEET SIZE RECEIVED
 PO / BATCH NO 325W/134993

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y	
CORRECT FINISH	Y	
CORROSION	Y	
CORRECT GRAIN DIRECTION	Y	
CORRECT MATERIAL	Y	
CORRECT THICKNESS	Y	
PHOTO REQUIRED	Y	
CORRECT MATERIAL	Y	
CORRECT REF # TO LINK CERT	Y	
CORRECT MATERIAL IDENTIFICATION	Y	
CORRECT # ON THE MATERIAL	Y	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK	RECORD RESULTS BELOW	TYPE OF MATERIAL	SIZE OF TEST SAMPLE	HARDNESS / DUROMETER READING
		HRC		
		HRB		
		DUR A		
		DUR D		

Testers located in the Quality Office

QC 18 INSPECTION
 DAS 14 9-09
 INSPECTED BY 16/08/13
 SIGNED OFF BY
 DATE
 ENGINEERING SIGNOFF (if required)

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL H304TR.375W.065 DATE 12/08/13
 QUANTITY RECEIVED 40
 QUANTITY INSPECTED 20
 QUANTITY REJECTED 20
 MATERIAL CERT RECD
 THICKNESS ORDERED .375X.0650 THICKNESS RECEIVED .375X.065W
 SHEET SIZE ORDERED
 SHEET SIZE RECEIVED
 PO / BATCH NO 32609/134973

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	<input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/>	
CORROSION	<input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	
CORRECT THICKNESS	<input checked="" type="checkbox"/>	
PHOTO REQUIRED	<input checked="" type="checkbox"/>	
CORRECT MATERIAL	<input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>	
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>	
CORRECT # ON THE MATERIAL	<input checked="" type="checkbox"/>	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	<input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	<input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK	
RECORD RESULTS BELOW	
HRC	
HRB	
DUR A	
DUR D	

QC 18 INSPECTION
 SIGNED OFF BY DAS 14 003
 DATE 12/08/13
 INSPECTED BY 14 003
 DATE 12/08/13
ENGINEERING SIGNOFF (if required)

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER
Purchase Order ID PO32609
Purchase Order Date 6/6/2016
PO Print Date 6/6/2016

Page Number 1 of 2

Order From :

VU-TWM001

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

TW METALS
PO BOX 933014
ALTANTA, GA 31193-3014
US

Contact Name
Vendor Phone

585 768 5600

Ship To Contact

Ship To Phone

Ship Via:

YRC COLLECT

Ship Acct:

Buyer
Customer POID
Customer Tax #
Terms
Currency
USD
Net 30
FCA - (Free Carrier)
Chantal Lavoie

Line	Reference	Description/	Reg Date/	CD	Reg Qty/	Unit of	Measure	PO Unit Price	Extended
------	-----------	--------------	-----------	----	----------	---------	---------	---------------	----------

1	M6061T6T0.375W.058	6061-T6 RD Tube .375 x.058W	6/10/2016		120.00			\$2.15	\$258.00
			Yes						
			6/13/2016						

Line Total:

\$258.00

2	M6061T6T1.500W.125	6061T6 RD TUBE 1.50 X .125W	6/10/2016		20.00			\$6.40	\$128.00
			Yes						
			6/13/2016						

Line Total:

\$128.00

3	M304TR0.375W.065	304 RD Tube .375 x .065W	6/10/2016		20.00			\$1.85	\$37.00
			Yes						
			6/13/2016						

Note:

6/6/2016



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER
Purchase Order ID PO32609
Purchase Order Date 6/6/2016
PO Print Date 6/6/2016

Page Number 2 of 2

Order From :

VU-TWM001

Ship To : DART AEROSPACE LTD

TW METALS
PO BOX 933014
ALANTA, GA 31193-3014
US
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone
Ship To Contact
Ship To Phone
Ship Via:
Ship Acct:

YRC COLLECT

Buyer
Customer POID
Customer Tax #
Terms
Currency
FOB
FCA - (Free Carrier)
Chantal Lavoie
10127-2607
Net 30
USD

Line Total: \$37.00

4 M304TR0.750W.049 304 RD Tube .750 x .049W 6/10/2016 Yes 6/13/2016 f 80.00 \$2.10 \$168.00

Sold 6/10

Line Total: \$168.00

5 71401-45 PROCUREMENT 6/10/2016 No 6/13/2016 1.00 \$0.00 \$0.00

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

Line Total: \$0.00

PO Total: \$591.00

Handwritten initials and marks

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1 Change Date: 6/6/2016